


ASSEMBLY INSTRUCTIONS



TOOLS REQUIRED



**Phillips
Screwdriver**

(Not Included)



Hammer

(Not Included)



**2 - People
Recommended**

ASSEMBLY RATING



EASY —————> DIFFICULT

The Assembly Rating is a 5-point system showing the level of effort needed to assemble a specific product.



CHECK BEFORE STARTING

Are you missing anything?

Double-check all parts, hardware and accessories listed are all accounted for.

Check out our Quick Tips!

We recommend reviewing the pre-assembly handouts. Even experts need a refresher now and then!

Should we send any replacements?

Are there any irregularities or flaws in the parts? We can send replacements!

Prep Time!

Please review the assembly instructions and all diagrams prior to assembling. Arrange parts as recommended on Page 7 and group identical hardware together to make assembling easier.

PRE ASSEMBLY INTRODUCTION

We understand building ready-to-assemble furniture can be a challenging experience for some. To help avoid confusion, we have provided some helpful tips that may speed up the process.



Teamwork

ALWAYS have at least two people to help with transporting and assembling the product to avoid potential injury and/or damage.



Suitable Location

Assembling near the area of the intended location is highly recommended.



Sufficient Space

Make sure you have enough space to move around during the assembly.



Avoid Scratches

Use cardboard, blankets or a carpeted area while assembling furniture to prevent scratches.



Flat Surface

Make sure the furniture rests on a flat and level surface with each leg evenly touching the floor.


ASSEMBLY AND CARE ADVICE



FAILURE TO FOLLOW THE GUIDELINES BELOW MAY RESULT IN INJURY AND/OR PROPERTY DAMAGE.



Position each part correctly and insert screws or bolts into their respective holes.



Turn clockwise to tighten and only tighten when step is completed or when instructed to do so.



Use the appropriate hand tools or power tools for assembly. Select steps, such as tightening screws and/or bolts, may require hand tools to avoid causing damage during assembly.



Save the instructions and store any supplied tools for later maintenance.



After two weeks, check and tighten any loose hardware and repeat again every six months thereafter.

IT IS THE USER'S RESPONSIBILITY TO MAINTAIN THE FURNITURE. THE HARDWARE MAY LOOSEN OVER TIME AND MAY CAUSE THE FURNITURE TO BE WOBBLY AND UNABLE TO SUPPORT ITS INTENDED WEIGHT CAPACITY. THIS MAY LEAD TO COLLAPSE AND MAY CAUSE SERIOUS INJURY.

CAM LOCK FASTENER ASSEMBLY INSTRUCTIONS

Note :

Every cam lock bolt must have a cam lock connector in order to fasten the parts together.



cam bolt



cam lock



screwdriver




1

Screw the cam bolt into panel.



2

Insert the cam bolt into the bolt hole of joint panel.



3


Align the cam lock with its side opening (or arrow) pointing to cam bolt.




4

Turn the cam lock clockwise gently until it will not turn any more.


MINI BAR




- Please keep instructions for future reference.
- Check the quantity and irregularity of parts and hardware before you start.




PARTS



HARDWARE




ACCESSORIES




GET READY

Please group boards as below.

C 1PC




E 1PC




F 1PC




G 1PC




A 1PC




B 1PC




D 1PC




I 1PC




Q 1PC




R 1PC




J 1PC




S 1PC




T 1PC



U 1PC



V 1PC




W 2PCS




Body

H 1PC




Door


K 1PC




L 1PC




M 1PC




N 1PC



O 1PC



P 1PC






Drawer


ASSEMBLY INSTRUCTIONS

1

- Hardware ① x18PCS
- Hardware ⑧ x2PCS
- Hardware ⑨ x4PCS
- Hardware ⑫ x2SETS
- Hardware ⑬ x4PCS
- Hardware ⑭ x4PCS





X2



How to rotate

1. Push the button inward and hold
2. Rotate the upper bracket to the other side
3. And then release the button



ASSEMBLY INSTRUCTIONS

2







Hardware ③ x8PCS

Hardware ⑦ x1SET

Hardware ⑩ x2PCS

Hardware ⑪ x2PCS

Accessory [A12] x1PC










ASSEMBLY INSTRUCTIONS

3

Hardware ① x4PCS

Hardware ③ x8PCS

Accessory A12 x1PC




ASSEMBLY INSTRUCTIONS

4

- Part **E** x1PC
- Part **F** x1PC
- Part **G** x1PC


Accessory **A12** x1PC



5

- Part **C** x1PC

Hardware **②** x4PCS





ASSEMBLY INSTRUCTIONS

6

Part **A** x1PC
Part **1** x1PC

Hardware **2** x4PCS

Accessory **A11** x2PCS




Use the provided stickers (#A11) to cover exposed locks.

X2

7

Part **D** x1PC

Hardware **2** x2PCS



ASSEMBLY INSTRUCTIONS

8





Part **B** x1PC

Part **Q** x1PC

Part **R** x1PC

Hardware **2** x8PCS

Accessory **A11** x2PCS



X2

9

Part **S** x1PC


Part **T** x1PC

Part **U** x1PC

Part **V** x1PC

Accessory **A6** x4PCS


Accessory **A10** x1PC



ASSEMBLY INSTRUCTIONS

10


Part **J** x1PC



11

Accessory **A5** x5PCS


Accessory **A10** x1PC



ASSEMBLY INSTRUCTIONS

12


- Accessory **A7** x4PCS
- Accessory **A8** x2PCS
- Accessory **A9** x2PCS



13

- Part **W** x2PCS

- Accessory **A3** x5PCS
- Accessory **A4** x1PC
- Accessory **A10** x1PC




ASSEMBLY INSTRUCTIONS

14

Hardware ⑤ x4PCS

Hardware ⑮ x1PC

Accessory (A10) x1PC



or




RECOMMEND

Recommend using a power tool to only tighten hardware (#5) faster. Accessory (#A10) could also work for hardware (#5) if a power tool is not present.

ASSEMBLY INSTRUCTIONS



15

Part **H** x1PC




16

Hardware **14** x4PCS



X2




ASSEMBLY INSTRUCTIONS

17

Part **K** x1PC
 Part **L** x1PC
 Part **M** x1PC
 Part **N** x1PC
 Part **O** x1PC
 Part **P** x1PC


Hardware **2** x4PCS
 Hardware **4** x4PCS

Accessory **A1** x1PC
 Accessory **A2** x2PCS



18

Hardware **6** x2PCS




Fully extend drawer rails then align the rail's smallest hole to the drawer slide panel's holes. Secure with bolts (#6).

ASSEMBLY INSTRUCTIONS


19

Hardware **16** x6PCS
Hardware **17** x6PCS



20

Accessory **A13** x1PC
Accessory **A14** x1PC
Accessory **A15** x1SET



ASSEMBLY INSTRUCTIONS

21

ASSEMBLY COMPLETED




Please ensure the furniture rests on an even and flat surface. If the product wobbles or feels loose, double-check all bolts and/or screws are properly tightened and secured.

✓ **Keep this handy!**

Please retain this instruction manual and any order-related information for future reference.

✓ **Lift, don't drag!**

To avoid damage to product please always LIFT the product when transporting or adjusting the placement.




ASSEMBLY INSTRUCTIONS

Wall Mounting and Fixing



EXPANSION WALL ANCHOR

Our provided expansion wall anchors are only suitable for masonry walls, such as drywall, plaster or concrete, and are best for holding lightweight items or for anti-tip prevention. If you are unsure of the correct wall anchor to use with the product, please request professional guidance. Liability for product damage or failure due to using the incorrect anchors will fall on the installer.




CHECK BEFORE PROCEEDING


Prior to drilling or hammering, please check for wires or pipes. We recommend using a stud finder to locate a stud, which will offer more appropriate resistance and hold more weight.

QUICK TIPS


1. If unsure of the proper size, always choose a larger screw and wall anchor.




2. Match the drill bit to the wall anchor and hole size.



3. Only drill horizontally. Do not force the drill or enlarge the hole for the wall anchor.



4. Take extra care when drilling into high walls or ceramic tiles. Wall anchors should be a tight fit for the hole. Never use wall anchors in ceilings.



MAINTENANCE



We recommend a yearly check to see if the wall anchor or screw has loosened. If so, please remove the existing wall anchor and screw, and use a new anchor.