

PASS

SUBMITTER

Furnizone Industries Sdn Bhd
Lot 5390, Mukim 7 Jalan Bukit Panchor, 143000 Nibong Tebal



| | |
|----------------------------|---|
| STYLE NUMBER | 12_0096(W-361) |
| PRODUCT DESCRIPTION | WARDROBE |
| EXECUTIVE SUMMARY | The submitted sample(s) MEET all the tested requirement(s). |
| REMARKS | As per client request, only ASTM F2057-23 & 16 CFR 1261 Clothing Storage Units and ASTM F3096-23 Tipover Restraints tests were conducted. |

TECHNICAL QUESTIONS Winnie Lew Loo Ming
(607) 510 2086
looming.lew@bureauveritas.com

SIGNATURES BUREAU VERITAS CPS SDN BHD

GENERAL INFORMATION Noor Najwa Laili
(607) 510 2086
noor.najwa@bureauveritas.com

**WINNIE LEW LOO MING
HARDLINE & ANALYTICAL DIVISION**



**BUREAU
VERITAS**

Test Report: (1224)054-0003 Revised FURNIZONE INDUSTRIES SDN BHD

Received Date: February 23, 2024
Report Date: March 06, 2024
Report Revision Date: May 06, 2024

| | |
|--------------------------------------|--|
| VENDOR NAME | / |
| AGENT NAME | / |
| FACTORY NAME | / |
| NUMBER OF CARTONS/SAMPLES | / |
| ITEM NUMBER | / |
| MODEL NUMBER | 12_0096(W-361) |
| PURCHASE ORDER NUMBER | / |
| COUNTRY OF ORIGIN | MALAYSIA |
| CLIENT REFERENCE NUMBER | / |
| UPC CODE | / |
| COLOR | / |
| ASSORTMENT NUMBER | / |
| SKU/SKN NUMBER | / |
| PRODUCT END USE | CLOTHING STORAGE |
| LOT NUMBER | / |
| COUNTRY OF DESTINATION | UNITED STATES |
| BUYER NAME | WOODPECKER'S INC |
| TEST REQUESTED | ASTM F2057-23 & 16 CFR 1261 CLOTHING STORAGE UNITS ASTM F3096-23 TIPOVER RESTRAINTS |
| PROTOCOL STAR LEVEL | / |
| FAIL RETEST | NO |
| PREVIOUS REPORT NUMBER | / |
| RETEST SAMPLE NUMBER | / |
| REPORT EXPIRATION DATE | March 06, 2025 |
| REPORT REVISION DATE | May 06, 2024 |
| REVISION(S) | 1st |
| REPORT REVISION REASON | Amended by changing the style and model number as per client requested. |
| TESTING DATE | February 23, 2024 – March 06, 2024 |



BUREAU
VERITAS

Test Report: (1224)054-0003 Revised FURNIZONE INDUSTRIES SDN BHD

Received Date: February 23, 2024

Report Date: March 06, 2024

Report Revision Date: May 06, 2024

TEST RESULTS FOR DRAWER CABINET & DRESSER

Physical Characteristics:

| | | | |
|---|----------|--|--------|
| Overall Dimension (inch) | | | |
| Length: | 61-3/8" | Weight: (lbs.) | 312.4 |
| Width: | 19-3/8" | | |
| Height: | 71-9/16" | | |
| Drawer Dimension (inch): 1 | | | |
| Length: | 39-1/2" | Total Storage Volume: (ft ³) | 18.282 |
| Width: | 16-3/4" | | |
| Height: | 47-3/4" | | |
| Drawer Dimension (inch): 2 | | | |
| Length: | 39-1/2" | Total Storage Volume: (ft ³) | 6.7 |
| Width: | 16-3/4" | | |
| Height: | 17-1/2" | | |
| Drawer Dimension (inch): 3 (Shelf: 1,2,3) | | | |
| Length: | 19" | Total Storage Volume: (ft ³) | 7.668 |
| Width: | 16-3/4" | | |
| Height: | 13-7/8" | | |
| Drawer Dimension (inch): 4 (Shelf: 1,2,3) | | | |
| Length: | 17" | Total Storage Volume: (ft ³) | 2.191 |
| Width: | 11" | | |
| Height: | 6-3/4" | | |
| | | Total Overall Volume (Drawer 1,2,3,4): (ft ³): | 34.841 |



BUREAU
VERITAS

Test Report: (1224)054-0003 Revised FURNIZONE INDUSTRIES SDN BHD

Received Date: February 23, 2024
Report Date: March 06, 2024
Report Revision Date: May 06, 2024

TEST RESULTS FOR DRAWER CABINET & DRESSER

ASTM F2057-23 & 16 CFR 1261 CLOTHING STORAGE UNITS ASTM F3096-23 TIPOVER RESTRAINTS

| SEC | REQUIREMENT | RESULT | RATING |
|----------------|---|--------|--------|
| 4 | Performance Requirement | | |
| 4.1-4.3 | STABILITY | | |
| 4.1 | With the unit set up in accordance with 8.1, and without the anti-tip device, test the unit in accordance with 9.2.1, 9.2.2, and 9.2.3 The unit shall not tip over or be supported by any component unless that component was specifically designed for that purpose. | M | PASS |
| 4.2 | Stability Test Methods. During the test, the unit shall not tip over or be supported by any component unless that component was specifically designed for that purpose. <i>9.2.1 Simulated Clothing Load</i> | M | PASS |
| | <i>9.2.2 Simulated Horizontal Dynamic Force</i> | M | PASS |
| | <i>9.2.3 Simulating a Reaction on Carpet with Child Weight</i> | M | PASS |
| 4.3 | If a failed component prohibits the completion of the test, then the failed component(s) shall be repaired or replaced to the original specifications, or the component replaced and the test repeated with the failed component secured as to not affect the test results but to prevent the component from failing. | NA | - |
| | ANTI-TIP DEVICE - PRESENCE | | |
| 4.4 | An anti-tip device shall be included with each item of furniture covered under the scope of this safety specification for attachment by the consumer. | M | PASS |
| 4.5 | ANTI-TIP DEVICE - COMPLIANCE OF ASTM F3096 | | |
| 4.5 | The anti-tip device provided shall meet the requirement of Specification F3096. | M | PASS |
| | TIPOVER RESTRAINT(S) USED WITH CLOTHING STORAGE UNIT(S) | | |
| 4 | The tipover restraint shall withstand a force of 60 lb when tested to section 4 of ASTM F3096 | M | PASS |
| 5 | Instructional Literature | | |
| 5.1 | Installation instructions shall include at a minimum the following: | | |
| | 5.1.1 Illustration showing installation method. | M | PASS |
| | 5.1.2 Detailed written instructions with step by step instructions on how to properly attach the tipover restraint. | M | PASS |
| | 5.1.3 Parts list including illustrations. | M | PASS |
| 5.2 | Clear and complete installation instructions for the tipover restraint shall be included. | M | PASS |
| 6. | Labeling Requirements | | |
| 6.1 | The following information shall be provided with each tipover restraint: | | |
| | 6.1.1 Manufacturer's name and address. | M | PASS |
| | 6.1.2 Date of manufacture (capable of identifying at a minimum the month and year of manufacture). | M | PASS |
| 4.6 | INTERLOCK | | |
| 4.6.1 | Interlocks shall not require additional consumer action to engage during normal operation of the extendible element, for example, opening and closing the drawer to access the interior volume. | NA | - |
| 4.6.2 | Interlocks shall not require consumer assembly and/or installation if the unit is shipped assembled. | NA | - |



BUREAU
VERITAS

Test Report: (1224)054-0003 Revised FURNIZONE INDUSTRIES SDN BHD

Received Date: February 23, 2024

Report Date: March 06, 2024

Report Revision Date: May 06, 2024

TEST RESULTS FOR DRAWER CABINET & DRESSER

ASTM F2057-23 & 16 CFR 1261 CLOTHING STORAGE UNITS ASTM F3096-23 TIPOVER RESTRAINTS

| SEC | REQUIREMENT | RESULT | RATING |
|-----------|---|--------|--------|
| 4.6.3 | Consumer assembly and/or installation of interlock components as part of the normal consumer assembly process is allowed for items shipped/sold unassembled. | NA | - |
| 4.6.4 | When tested to 9.1, the extendible element shall be considered interlocked to the open extendible element if either: 4.6.4.1 It remains closed during the test and is functional after tested extendible element is closed; or 4.6.4.2 Its opening acts to close the extendible element originally open. | NA | - |
| 10 | Marking and Labeling | | |
| 10.1 | Warnings on Product: | | |
| 10.1.1 | Each clothing storage unit shall be permanently marked in at least one place with the warnings from this section. The warnings shall be in a conspicuous location when in use. The warnings shall be applied on one surface, not wrapped or folded around or over corners. | M | PASS |
| 10.1.1.1 | The warnings shall be considered conspicuous when in use when at least one of the following conditions is met: (1) The warnings are inside a drawer box on a drawer side with the top of the signal word panel 0.5 in. (12.7 mm) or less from the top of the drawer side and the border or edge of the label 3 in. (76 mm) or less from the back of the drawer front; they are not required to be visible on all drawers. It is permissible for the warnings to be on either drawer side or, (2) The warnings are visible anywhere on the open door or on the cabinet side adjacent to the door no more than 1 in. (25 mm) from the doors closed position or the structure of the unit, whichever is farther from the front, when any hinged door, not each door, is open; they are not required to be visible behind all doors. or, (3) The warnings are visible on the cabinet side adjacent to the door no more than 1 in. from the door's closed position when any sliding door, not each door, is fully open, or the structure of the unit near the door, whichever is farther from the front. If doors have different distances from the front, this dimension shall apply to the farthest back door; they are not required to be visible behind all doors or, (4) The warnings from 10.2.3.1 and 10.2.3.3 and the symbol from Fig. 20 shall meet Condition 1 and contain language directing the user to the bottom of the same drawer and the full warning shall be on the inside face of the drawer bottom. | M | PASS |
| 10.1.1.2 | For units shipped requiring consumer assembly, it is permissible for the warnings to be on parts that can be installed in other locations; the location shall be considered acceptable if it would meet these location requirements in any possible location even if it does not meet them in all locations. For example, if a drawer side can be installed as the left or right side but the conditions in 10.1.1.1(1) are met, only when installed on the right it is acceptable. | NA | - |
| 10.2 | Warnings Format and Content: | | |
| 10.2.1 | The warnings shall be formatted in a manner consistent with ANSI Z535.4 for examples. | M | PASS |
| 10.2.2 | The signal word panel shall include the Safety Alert Symbol "⚠" and state "WARNING". | M | PASS |



BUREAU
VERITAS

Test Report: (1224)054-0003 Revised FURNIZONE INDUSTRIES SDN BHD

Received Date: February 23, 2024

Report Date: March 06, 2024

Report Revision Date: May 06, 2024

TEST RESULTS FOR DRAWER CABINET & DRESSER

ASTM F2057-23 & 16 CFR 1261 CLOTHING STORAGE UNITS ASTM F3096-23 TIPOVER RESTRAINTS

| SEC | REQUIREMENT | RESULT | RATING |
|----------|--|--------|--------|
| 10.2.2.1 | "WARNING" shall be in all caps, bold face type not less than 0.15 in. (3.8 mm) capital letter height in a sans serif font. The letter color shall be safety black on a safety orange or safety white background, or safety white on a safety black background. | M | PASS |
| 10.2.2.2 | The Safety Alert Symbol is composed of an equilateral triangle surrounding an exclamation mark. It shall be presented in one of five color formats when used with the WARNING signal word: (1) A safety black triangle with a safety orange exclamation mark, or; (2) A safety yellow triangle with a safety black border and safety black exclamation mark—to allow consistency with certain ISO standards, or; (3) A safety yellow triangle with a safety black exclamation mark and a yellow border around a safety black band—to allow consistency with certain ISO standards, or; (4) A safety black triangle with a safety white exclamation mark—for black and white only formats, or; (5) A safety white triangle with a safety black exclamation mark—for black and white only formats. NOTE 5—Options 2 and 3 are given with reference to ISO 3864-1 and ISO 3864-2. | M | PASS |
| 10.2.3 | In the following sections, the plain type is descriptive information; bold type is used for the required warning statements. The warning statements, unless otherwise noted, shall be included as stated. All text shall be a sans serif font, not less than 0.1 in. (2.5 mm) capital letter height. The text shall be safety black letters on a safety white background or the letters shall contrast the background. | M | PASS |
| 10.2.3.1 | The warning message panel shall begin with the following statement in bold face type. Children have died from furniture tipover. To reduce the risk of furniture tipover: | M | PASS |
| 10.2.3.2 | The warning message panel shall include the following statements, preceded by a bullet point, in the order given. | M | PASS |
| 10.2.3.3 | ALWAYS install anti-tip device provided. | M | PASS |
| 10.2.3.4 | Television use shall be addressed in the warnings by following either 10.2.3.4(1) or 10.2.3.4(2). (1) For clothing storage units that are not designed and intended by the manufacturer to be used with a TV shall state: NEVER put a TV on this product. (2) For clothing storage units that are designed and intended by the manufacturer to be used with a TV, the warning shall address TV use. This may be done within the other warnings as shown in the examples or separately to comply with other standards. In either case, all warnings must be conspicuous as defined in 10.1.1.1. See Appendix X1 for reference. | M | PASS |
| 10.2.3.5 | NEVER allow children to stand, climb, or hang on any drawers, doors, or shelves. It is permissible to exclude any feature not included on the unit. | M | PASS |
| 10.2.3.6 | NEVER open more than one drawer at a time. It is permissible to exclude any feature not included on the unit. | M | PASS |
| 10.2.3.7 | When the unit includes interlocking drawers: DO NOT defeat or remove the drawer interlock system; it is an important stability and safety system. Units that do not include interlocking drawers shall not use this statement. It is permissible to remove "drawer," add the appropriate parts and features to this statement, or to address any specific use characteristics of the interlock system. | NA | - |
| 10.2.3.8 | Place heaviest items in the lowest drawers. It is permissible to change drawers to a term/location better matching the unit. | M | PASS |





BUREAU VERITAS

Test Report: (1224)054-0003 Revised FURNIZONE INDUSTRIES SDN BHD

Received Date: February 23, 2024
Report Date: March 06, 2024
Report Revision Date: May 06, 2024

TEST RESULTS FOR DRAWER CABINET & DRESSER

ASTM F2057-23 & 16 CFR 1261 CLOTHING STORAGE UNITS ASTM F3096-23 TIPOVER RESTRAINTS

| SEC | REQUIREMENT | RESULT | RATING |
|-----------|--|--------|--------|
| 10.2.3.9 | The following statement is required below all other text, in italic letters: This is a permanent label. Do not remove! Alternatively, the following shall be used when markings other than a label are used and may be used with any marking type: This warning is permanent. Do not remove! The statement may not be larger type than any other wording on the warning. | M | PASS |
| 10.2.3.10 | For units with interlock systems described in 4.6.1.3(2), a warning addressing: DO NOT remove the interlock system except for maintenance as shown. NEVER use the unit without the interlock installed following the instructions. shall be added to each drawer in a location near the interlock hardware; instructions shall be shown or a location with instructions shall be referenced. See Fig. 19. | NA | - |
| 10.2.4 | Each safety symbol panel shall measure at least 1.25 in. by 1.25 in. (31.8 mm by 31.8 mm); each safety symbol shall measure at least 1 in. by 1 in. (25.4 mm by 25.4 mm). Each symbol shall be safety black with either a safety black or safety red prohibition symbol or the symbol shall contrast with the background. The safety symbol panel for each symbol shall be bounded on all sides with a safety black line or the line shall contrast with the background. | M | PASS |
| 10.2.4.1 | The child climbing prohibition symbol shown in Fig. 20 shall be used on all warning labels.  | M | PASS |
| 10.2.4.2 | The TV prohibition symbol shown in Fig. 21 shall be used on units that include the warning in 10.2.3.4(1).  | M | PASS |
| 10.2.5 | The contents of the warnings shall not be modified except as specifically indicated above and/or to include languages other than English. | M | PASS |
| 10.2.6 | The warnings shall be permanent when tested in accordance with 9.3.1, 9.3.2, or 9.3.3 as appropriate. | M | PASS |

Result Key:

| | |
|----|----------------|
| M | Meets |
| NM | Does Not Meet |
| NA | Not Applicable |
| NT | Not Tested |

Rating Key:

| | |
|------|---------------|
| PASS | Pass |
| FAIL | Fail |
| NR | Not Requested |



BUREAU
VERITAS

EXHIBIT
PHOTO(S)

Test Report: (1224)054-0003 Revised FURNIZONE INDUSTRIES SDN BHD

Received Date: February 23, 2024

Report Date: March 06, 2024

Report Revision Date: May 06, 2024



FRONT VIEW



REAR VIEW



SIDE 1 VIEW



SIDE 2 VIEW



BOTTOM VIEW



WARNING LABEL

WARNING
Children have died from furniture tipover. To reduce the risk of furniture tipover:

- ALWAYS install anti-tip device provided.
- NEVER put a TV on this product.
- NEVER allow children to stand, climb, or hang on any drawers, doors, or shelves.
- NEVER open more than one drawer at a time.
- Place heaviest items in the lowest drawers.

This is a permanent label. Do not remove!




BUREAU VERITAS

Test Report: (1224)054-0003 Revised FURNIZONE INDUSTRIES SDN BHD

Received Date: February 23, 2024

Report Date: March 06, 2024


Report Revision Date: May 06, 2024



TIPPING RESTRAINT KITS



TIPPING RESTRAINT KITS



TIPPING RESTRAINT KITS

END OF REPORT